

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 24.05.2022
SECTION	1: Identification o	f the substance/	mixture and of the company/undertaking
1.1 Produ	ct identifier		
Trade	ename	: Körasolv® F	υ
1.2 Releva	ant identified uses of	the substance or	mixture and uses advised against
Use o	of the Sub- e/Mixture	: Solvent	-
Recommended restrictions on use		: For industria	l use only.
1.3 Details	s of the supplier of th	ne safety data she	et
Comp	bany	: H.B. Fuller,	sar-Rakoll, S.A.
Addre	255	: Estrada Nac PT-4486-85 +351 229 28	1 Mindelo - Vila do Conde
E-mail address of person responsible for the SDS		: EU-MSDS@	hbfuller.com
1.4 Emerg	jency telephone num	ber	
-	gency telephone num		39 670 (24 hours)

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022	SDS Numbe 1000000198	••	Date of last issue: - Date of first issue: 24.05.2022
Aspiration hazard, Category 1			H304: ways.	May be fatal if swallowed and enters air-
Long-term (chronic) aquatic hazard, Cat- egory 3			H412: fects.	Harmful to aquatic life with long lasting ef-

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	 H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects. 	
Precautionary statements	:	Prevention:P210Keep away from heat, hot surfaces, sparks, openflames and other ignition sources. No smoking.P233Keep container tightly closed.P261Avoid breathing mist or vapours.	
		Response:P301 + P310IF SWALLOWED: Immediately call a POISONCENTER/ doctor.P331Do NOT induce vomiting.P370 + P378In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.	
Hazardous components which must be listed on the label: acetone ethyl acetate Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane methyl acetate			



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.05.2022	10000019864	Date of first issue: 24.05.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

		O a a a a b a b b b b b b b b b b
	Classification	Concentration
		(% w/w)
Registration number		
67-64-1		>= 30 - < 50
200-662-2		
606-001-00-8		
01-2119471330-49-	(Central nervous	
0000	system)	
141-78-6	Flam. Liq. 2; H225	>= 20 - < 30
205-500-4	Eye Irrit. 2; H319	
607-022-00-5	STOT SE 3; H336	
01-2119475103-46-	(Central nervous	
0000	system)	
64742-49-0	Flam. Lig. 2; H225	>= 20 - < 25
921-024-6	Asp. Tox. 1; H304	
01-2119475514-35-	Aquatic Chronic 2;	
0000	H411	
	Skin Irrit. 2; H315	
	STOT SE 3; H336	
	(Respiratory sys-	
	tem)	
79-20-9	Flam. Lig. 2; H225	>= 10 - < 20
201-185-2	Eve Irrit. 2; H319	
607-021-00-X		
01-2119459211-47-		
0000		
67-56-1		>= 0,1 - < 1
200-659-6		-
603-001-00-X		
01-2119392409-28-		
0000		
	200-662-2 606-001-00-8 01-2119471330-49- 0000 141-78-6 205-500-4 607-022-00-5 01-2119475103-46- 0000 64742-49-0 921-024-6 01-2119475514-35- 0000 79-20-9 201-185-2 607-021-00-X 01-2119459211-47- 0000 67-56-1 200-659-6 603-001-00-X 01-2119392409-28-	EC-No. Index-No. Registration number Flam. Liq. 2; H225 67-64-1 Flam. Liq. 2; H225 200-662-2 Eye Irrit. 2; H319 606-001-00-8 STOT SE 3; H336 01-2119471330-49- 0000 (Central nervous system) 141-78-6 Flam. Liq. 2; H225 205-500-4 Eye Irrit. 2; H319 607-022-00-5 STOT SE 3; H336 01-2119475103-46- 0000 STOT SE 3; H336 01-2119475103-46- 0000 Flam. Liq. 2; H225 921-024-6 Asp. Tox. 1; H304 01-2119475514-35- 0000 Flam. Liq. 2; H225 920-09 Flam. Liq. 2; H225 201-185-2 Eye Irrit. 2; H319 607-021-00-X STOT SE 3; H336 01-2119459211-47- 0000 STOT SE 3; H336 01-2119459211-47- 0000 STOT SE 3; H336 01-2119459211-47- 0000 (Central nervous system) 67-56-1 Flam. Liq. 2; H225 200-659-6 Acute Tox. 3; H301 603-001-00-X Acute Tox. 3; H331 01-2119392409-28- Acute Tox. 3; H311

For explanation of abbreviations see section 16.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022		0S Number: 0000019864	Date of last issue: - Date of first issue: 24.05.2022
SECTIO	N 4: First aid meas	ures		
4.1 Desci	ription of first aid me	asures	5	
Gene	eral advice	:	Move the victin Show this safe Symptoms of p	
lf inh	aled	:	medical attention	onsciousness bring patient into stable side posi-
In ca	se of skin contact	:	removing all co	ediately with soap and plenty of water while ontaminated clothes and shoes. persists, call a physician.
In case of eye contact :		:	Flush eyes with water at least 15 minutes. Get medical atter tion if eye irritation develops or persists.	
lf sw	allowed	:	Rinse mouth w If conscious, dr Do NOT induce	rink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment
- : No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Water mist Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing	:	Water with a full water jet



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.05.2022	10000019864	Date of first issue: 24.05.2022

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : No further relevant information available. fighting

5.3 Advice for firefighters

Special protective equipment for firefighters	:	No special protective measures against fire required.
Further information	:	In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Persona	l precautions	:	Remove all sources of ignition. Use personal protective equipment. Use breathing protection against the effects of fumes/dust/aerosol. Evacuate personnel to safe areas. Ensure adequate ventilation.
			Linsule adequate ventilation.

6.2 Environmental precautions

Environmental precautions	:	The product should not be allowed to enter drains, water courses or the soil. Prevent the material from reaching sewage system, holes and cellars. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Non-sparking tools should be used. Ensure adequate ventilation. Send for recovery or disposal in suitable containers. Dispose of contaminated material as waste according to section 13.
-------------------------	---



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.05.2022	100000019864	Date of first issue: 24.05.2022

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :	Avoid formation of dust and aerosols. Use only with adequate ventilation. Take note of emission threshold. Use solvent-proof equipment. Ensure that suitable extractors are available on processing machines. Handle with care. Keep eye wash bottle available on working place. Avoid release to the environment. Keep away from children.
Advice on protection against : fire and explosion	Keep product and empty container away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. May form explosive mix- tures in air. Highly volatile, flammable constituents are re- leased during processing. In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.
7.2 Conditions for safe storage, inc	cluding any incompatibilities
Requirements for storage : areas and containers	Keep dark, cool and dry. Store in cool place.
Further information on stor- :	Keep containers tightly closed in a dry, cool and well-

7.3 Specific end use(s)

age conditions

Specific use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
acetone	67-64-1	TWA	500 ppm	GB EH40

ventilated place. Store in a cool place. Heat will increase

pressure and may lead to the container exploding.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

24.05.202	2 10	0000019864	Date of first issue: 24.05.2	2022			
			1.210 mg/m3				
		STEL	1.500 ppm 3.620 mg/m3	GB EH40			
		TWA	500 ppm 1.210 mg/m3	2000/39/E0			
	Further info	mation: Indicativ					
ethyl acetate	141-78-6	TWA	200 ppm 734 mg/m3	GB EH40			
		STEL	400 ppm 1.468 mg/m3	GB EH40			
		STEL	400 ppm 1.468 mg/m3	2017/164/E			
	Further info	Further information: Indicative					
		TWA	200 ppm 734 mg/m3	2017/164/8			
	Further info	rmation: Indicativ		L			
methyl acetate	79-20-9	TWA	200 ppm 616 mg/m3	GB EH40			
		STEL	250 ppm 770 mg/m3	GB EH40			
methanol	67-56-1	TWA	200 ppm 266 mg/m3	GB EH40			
	Further information: Can be absorbed through the skin. The assigned sub- stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.						
		STEL	250 ppm 333 mg/m3	GB EH40			
	stances are	Further information: Can be absorbed through the skin. The assigned sub- stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.					
		TWA	200 ppm 260 mg/m3	2006/15/E0			
	Further information: Indicative, Identifies the possibility of significant uptake through the skin						

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
acetone	Workers	Dermal	Long-term systemic effects	186 mg/kg
	Workers	Inhalation	Acute local effects	2420 mg/m3
	Workers	Inhalation	Long-term systemic effects	1210 mg/m3
ethyl acetate	Workers	Inhalation	Acute systemic ef- fects	1468 mg/m3
	Workers	Inhalation	Acute local effects	1468 mg/m3
	Workers	Inhalation	Long-term systemic	734 mg/m3



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

n-hexane

Version 1.0	Revision Date: 24.05.2022	SDS Number: 100000019864				
C7, n-a	carbons, C6- alkanes, isoal- cyclics, <5%	Workers	Inhalation	I	effects Long-term systemic effects	2,035 mg/m3

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
acetone	Marine water	1,06 mg/l
	Fresh water	10,6 mg/l
	Fresh water sediment	30,4 mg/l
	Marine sediment	3,04 mg/l
	Soil	0,112 mg/l
	Sewage treatment plant	29,5 mg/l
ethyl acetate	Fresh water	0,26 mg/l
	Intermittent use/release	1,65 mg/l
	Marine water	0,026 mg/l
	Fresh water sediment	1,25 mg/kg
	Marine sediment	0,125 mg/kg
	Soil	0,24 mg/kg
	Sewage treatment plant	650 mg/l

8.2 Exposure controls

Engineering measures

Please take care on national and local requirements.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Remarks

 The glove material has to be impermeable and resistant to the product/the substance/the preparation.
 The exact break through time can be obtained from the protective glove producer and this has to be observed.
 The gloves need to be disposed after the penetration time and replaced by new ones.
 Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022		OS Number: 0000019864	Date of last issue: - Date of first issue: 24.05.2022
			a sturdy overglove ed in combination	itable: to the chemical preparation is necessary, against mechanical strain is recommend- with the Barrier 02-100 underglove from ppliers (penetration time: 480 min).
			gloves made of t	nt contact of a maximum of 15 minutes the following materials are suitable: mum thickness: 0.7 mm; penetration time:
			ing materials are	om splashes gloves made of the follow- e suitable: ickness 0.12 mm), Disposable gloves with
				the chemical preparation, take the dispos- off immediately and put on a new disposable
Skir	and body protection	:	Protective clothing	g
Res	piratory protection	:	tilation is provided exposures are wit In case of brief ex use breathing filte In case of intensiv ratus that is indep	rotection unless adequate local exhaust ven- d or exposure assessment demonstrates that thin recommended exposure guidelines. sposure or low pollution (exceeding of TLV) er apparatus. /e or longer exposure use breathing appa- bendent of circulating air. ole extractors are available on processing
Prot	ective measures	:	Instantly remove a Wash hands befo product. Avoid contact with	ood, drink and animal feedingstuffs. any soiled and impregnated garments. re breaks and immediately after handling the n the eyes and skin. lothing separately.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Versio 1.0	on	Revision Date: 24.05.2022		S Number:)000019864	Date of last issue: - Date of first issue: 24.05.2022	
0	dour		:	solvent-like		
0	dour T	hreshold	:	is not determined	1	
pl	Н		:	is not determined	1	
Μ	lelting	point/freezing point	:	is not determined	1	
F	lash po	pint	:	-20 °C		
E	vapora	ation rate	:	: is not determined		
R	Relative vapour density		:	: is not determined		
D	ensity		:	0,81 g/cm3 (20 °	C)	
S	olubilit Wate	y(ies) er solubility	:	not miscible or d	fficult to mix	
-	artitior ctanol/	n coefficient: n- /water	:	no data available		
А	Auto-ignition temperature		:	is not determined	1	
D	ecomp	position temperature	:	not applicable		
V	′iscosit Visco	y osity, dynamic	:	< 5 mPa.s (20 °C	3)	
E	xplosi	/e properties	:	Product is not ex vapour/air mixtur	plosive. However, formation of explosive es is possible.	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

No decomposition if used according to the specifications.

10.3 Possibility of hazardous reactions

Hazardous reactions : Develops readily flammable vapours/fumes.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 24.05.2022
10.4 Conditions to avoid Conditions to avoid		: No further rele	evant information available.
	npatible materials als to avoid	: No further rele	vant information available.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Proc		
Proc	11101	
	iuci.	

Based on available data, the classification criteria are not met.
Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Based on available data, the classification criteria are not met.
Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Based on available data, the classification criteria are not met.
Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
LC50 (Rat): 16000 ppm Exposure time: 4 h Test atmosphere: vapour



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022		05 Number: 0000019864	Date of last issue: - Date of first issue: 24.05.2022
SECTIO	N 12: Ecological info	orma	tion	
12.1 Toxi	city			
<u>Com</u>	ponents:			
meth	yl acetate:			
Toxic	ity to fish	:	LC50 (Brachyda Exposure time: 9 Test Type: static	
	istence and degradab i ata available	ility		
	ccumulative potential ata available			
12.4 Mob	ility in soil			
<u>Prod</u> Mobil		:	bodies or sewag Toxic effects on	t allow product to reach ground water, water e system., Very toxic to aquatic organisms, fish and plankton, Danger to drinking water if small quantities leak into soil.
12.5 Resu	ults of PBT and vPvB a	asses	ssment	
<u>Prod</u> Asse	<u>uct:</u> ssment	:	to be either pers	nixture contains no components considered istent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
	e r adverse effects ata available			
SECTIO	N 13: Disposal consi	idera	ations	
13.1 Was t Produ	te treatment methods uct	:	Do not dispose of Hand over to dis	of with domestic refuse. of waste into sewer. posers of hazardous waste. of waste should be avoided or minimized



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022	SDS Number:Date of last issue: -100000019864Date of first issue: 24.05.2022
		wherever possible. Incinerate under controlled conditions in accordance with all local and national laws and regulations. Disposal must be made according to official regulations.
Conta	minated packaging	: Disposal must be made according to official regulations.
SECTION	I 14: Transport info	rmation
14.1 UN ni	umber	
ADN		: UN 1993
ADR		: UN 1993
RID		: UN 1993
IMDG		: UN 1993
ΙΑΤΑ		: UN 1993
14.2 UN pi	roper shipping name	
ADN		: FLAMMABLE LIQUID, N.O.S. (ACETONE, ETHYL ACETATE)
ADR		: FLAMMABLE LIQUID, N.O.S. (ACETONE, ETHYL ACETATE)
RID		: FLAMMABLE LIQUID, N.O.S. (ACETONE, ETHYL ACETATE)
IMDG		: FLAMMABLE LIQUID, N.O.S. (ACETONE, ETHYL ACETATE)
ΙΑΤΑ		: Flammable liquid, n.o.s. (ACETONE, ETHYL ACETATE)
14.3 Trans	sport hazard class(es)
ADN		: 3
ADR		: 3
RID		: 3
IMDG		: 3
ΙΑΤΑ		: 3
14.4 Packi	ing group	
	ng group ification Code	: II : F1



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Vers 1.0	sion	Revision Date: 24.05.2022		DS Number: 00000019864	Date of last issue: - Date of first issue: 24.05.2022
	Labels		:	3	
		g group ication Code	:	ll F1 3	
		g group ication Code	: : :	ll F1 3	
	IMDG Packin Labels EmS C		: : :	ll 3 F-E, <u>S-E</u>	
		Cargo) g group	:	II Flammable Liquid	ds
		P (Passenger) g group	:	II Flammable Liquid	ds
14.5	Enviro	onmental hazards			
	ADN Enviror	nmentally hazardous	:	no	
	ADR Enviror	nmentally hazardous	:	no	
	RID Enviror	nmentally hazardous	:	no	
	IMDG Marine	pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 24.05.2022	
----------------	---------------------------	-----------------------------	--	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			methanol (Number on list 69) acetic acid
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	not applicable
REACH - Candidate List of Subst Concern for Authorisation (Article		:	not applicable
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu-	:	not applicable
RoHS: 2011/65/EU, Restriction of es	Hazardous Substanc-	:	not applicable
UK REACH List of substances su (Annex XIV)	bject to authorisation	:	not applicable
Seveso III: Directive 2012/18/EU major-accident hazards involving P5c			and of the Council on the control of
Volatile organic compounds :			
	emissions (integrated p	ollu	4 November 2010 on industrial ution prevention and control) Is (VOC) content: 100 %
			4 November 2010 on industrial ution prevention and control)



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 24.05.2022
The C	• •	-	in the following inventories: s listed as active on the TSCA inventory
DSL		: All componen	ts of this product are on the Canadian DSL
KECI		: On the inventor	ory, or in compliance with the inventory
PICC	S	: On the inventor	ory, or in compliance with the inventory
IECS	С	: On the inventor	ory, or in compliance with the inventory
REAC	СН	: On the invente	ory, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

I un text of II-Statements		
H225	:	Highly flammable liquid and vapour.
H301	:	Toxic if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H311	:	Toxic in contact with skin.
H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H331	:	Toxic if inhaled.
H336	:	May cause drowsiness or dizziness.
H370	:	Causes damage to organs.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
2006/15/EC	:	Europe. Indicative occupational exposure limit values



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022		9S Number: 0000019864	Date of last issue: - Date of first issue: 24.05.2022	
2017	/164/EU	:		sion Directive 2017/164/EU establishing a ative occupational exposure limit values	
GB E	EH40	: UK. EH40 WEL - Workplace Exposure Limits			
2000	/39/EC / TWA	:	: Limit Value - eight hours		
2006	/15/EC / TWA	:	Limit Value - eigh	t hours	
2017	/164/EU / STEL	:	Short term expos	ure limit	
2017	/164/EU / TWA	:	: Limit Value - eight hours		
GB E	EH40 / TWA	:	: Long-term exposure limit (8-hour TWA reference period)		
GB E	EH40 / STEL	: Short-term exposure limit (15-minute reference period)			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Körasolv® PU

Version 1.0	Revision Date: 24.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 24.05.2022
Contac	t Point	: Prepared by: Glob EU-MSDS@hbful	pal Regulatory Department ler.com
Classi	fication of the mixtur	e:	Classification procedure:
Flam. L	.iq. 2	H225	Based on product data or assessment
Skin Irr	it. 2	H315	Calculation method
Eye Irri	t. 2	H319	Calculation method
STOT	STOT SE 3 H336		Calculation method
Asp. To	х. 1	H304	Calculation method
Aquatio	c Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN